

	Application No.	Applicant(s)
Notice of Allowability	10/516,514	VAN GASTEL, JOSEPHUS M. M.
	Examiner	Art Unit
	Que T. Le	2878
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apply or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to		•
2. ☑ The allowed claim(s) is/are <u>13-25</u> .		
 Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). 	e been received. e been received in Application No	
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	, ,
 Notice of Draftperson's Patent Drawing Review (PTO-948) ☑ Information Disclosure Statements (PTO/SB/08), 	6. ☐ Interview Summary Paper No./Mail Dat 7. ⊠ Examiner's Amendr	te
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	_	ent of Reasons for Allowance
of Biological Material	9. Other	
·		QUE TAN LE PRIMARY EXAMINER

Application/Control Number: 10/516,514

Art Unit: 2878

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The <u>title of the invention</u> has been changed to: "An apparatus having at least two image recording devices and its method for placing at least one component in a desired position on a substrate".

In claim 20, on line 3, "device" has been changed to "devices".

The following is an examiner's statement of reasons for allowance: The prior art fails to teach a method and device for placing at least one component in a desired position, among other features, comprising at least two image recording devices positioned on an arm and separated from each other by a pitch distance; and at least two placement devices positioned an the arm and separated by the same pitch distance, wherein the image recording devices and the placement devices are separated from one another by one pitch distance or a multiple thereof.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/516,514

Art Unit: 2878

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

I) Oehlbeck et al 5,633,719 disclose an optical alignment system with dual imaging devices.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Que T. Le whose telephone number is (571) 272-2438.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Epps Georgia, can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Que T. Le Primary Examiner Art Unit 2878